

**eM Safe.
Proof in every connection.**



INTRODUCTION

Safety for eMobility on all levels.

Complex circuits and more connections than ever before. eMobility puts safety standards to the test. Which is exactly why we have designed this quick connector.

eMSafe brings a new level of safety for eMobility. For redundancy the quick connector is secured by two O-rings. And every connection is confirmed with an audible click.

You also have the choice of adding the Safe-Lock feature. It means that the second latch can only be locked when the spigot is well connected – a feature ensuring a Poka-Yoke function and dual latch. And it comes with visual confirmation as well.

Combining safety, simplicity and high performance for eMobility.

Quick connector dedicated to high safety

eM Safe is dedicated to high safety operations and designed for SAE type spigots. Every connection is proof of that.

- ✓ **Two O-rings.** Creating a redundancy and preventing leaks.
- ✓ **Poka-Yoke function.** Locking the second latch if the spigot is connected. Visual checks provide extra safety.
- ✓ **Easy to disconnect.** No tools needed.




Also available in Single-Lock version.

Applications

- Battery systems.
- Electrical vehicles.
- Hybrid vehicles.

HOW IT WORKS

- 1 Primary O-ring
- 2 Housing
- 3 Secondary O-ring
- 4 Safe-Lock retainer
- 5 Spacer



Learn more about eM Safe.



Visit

normagroup.com/eM-Safe



Tel.: +49 (6181) 4 03-0 | Fax.: +49 (6181) 4 03-210



Do you have questions or require a personal consultation?

Feel free to contact us: info@normagroup.com | Visit our website for more information about our solutions for commercial and passenger vehicles: www.normagroup.com



NORMA Group | Postfach 1149 · D-63461 Maintal | Edisonstraße 4 · D-63477 Maintal | Germany | normagroup.com

This catalogue supersedes all previous issues. All rights reserved in all countries. No part of this publication may be reproduced without NORMA Group's prior written consent. In NORMA Group's policy of continual product improvements to meet user needs and technological developments, all models and sets listed in this catalogue (photographs, specifications, sizes and weights) may be upgraded or discontinued without notice and without any obligation on our part to modify tools or equipment sold previously. The recommendations for use and safety given in this catalogue do not replace accepted good practice or the safety-related legal and regulatory provisions. The product description and the images displayed in this catalogue may differ in color and impression from the actual commodity.